


PACKAGING

Lag 1

2 Stk. EPS 1045x114x15




2 Stk. EPS 473x114x30

Note til pakkebånd:

Samlevejledning


Lag 2

2 Stk. EPS 470x230x10



Lag 3

1 Stk. EPS 580x82x45




Latest Revision / Description													
Rev. F	18-10-2019 JR (ECO 10712): EPS er opdateret.					Cardboard closure		Packaging type					
						A - Sideluk		C - 30 mm end/15 mm side					
						Thickness of board / Composition of quality							
						3 mm (B-flute, brown) / Min.: ECT 3,9 - BST 520							
Units:			ECT = kN/m			BST = kPa							
INSIDE MEASURE		L:	1048	B:	506	H:	115	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 1	PAGE:1/3		
		Skænk 2 låger + 1 skuffe Oslo								INIT:	JR	DATE :	01-10-2014
										REVISION:	F	Approved by:	JR
75387								DWG.NO.		75387-60			

PACKAGING

Lag 4

1 Stk. EPS 250x43x30 1 Stk. EPS 125x125x25

Note til pakkebånd: _____




1 Stk. Drawer side R. (00753)

1 Stk. EPS 265x75x42

Beslag se beslagsliste
Kugleudtræk se beslagsliste


Lag 5



1 Stk. EPS 400x130x6 20 gr.

Lag 6




Latest Revision / Description													
Rev. F	18-10-2019 JR (ECO 10712): EPS er opdateret.					Cardboard closure			Packaging type				
						A - Sideluk			C - 30 mm end/15 mm side				
						Thickness of board / Composition of quality							
						3 mm (B-flute, brown) / Min.: ECT 3,9 - BST 520							
Units:			ECT = kN/m			BST = kPa							
INSIDE MEASURE		L:	1048	B:	506	H:	115	Glue flap:	45	Measurements shown in mm.	BOX: 1 af 1	PAGE:2/3	
tvilum		Skænk 2 låger + 1 skuffe Oslo								INIT:	JR	DATE :	01-10-2014
										REVISION:	F	Approved by:	JR
75387							DWG.NO.			75387-60			

PACKAGING

Lag 7


1 Stk. EPS 450x90x15

Note til pakkebånd:






Lag 8

1 Stk. EPS 950x80x30



Lag 9



Latest Revision / Description											
Rev. F	18-10-2019 JR (ECO 10712): EPS er opdateret.					Cardboard closure			Packaging type		
						A - Sideluk			C - 30 mm end/15 mm side		
						Thickness of board / Composition of quality					
						3 mm (B-flute, brown) / Min.: ECT 3,9 - BST 520					
Units:			ECT = kN/m			BST = kPa					
INSIDE MEASURE		L:	1048	B:	506	H:	115	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 1	PAGE:3/3
 75387		Skænk 2 låger + 1 skuffe Oslo 					INIT:	JR	DATE :	01-10-2014	
							REVISION:	F	Approved by:	JR	
						DWG.NO.		75387-60			