


PACKAGING

Lag 1




2 Stk. EPS 470x97x20 18 gr.

2 Stk. EPS 338x97x50 18 gr.


Note til pakkebånd:

Samlevejledning

Lag 2




Lag 3



1 Stk. EPS 300x45x22


1 Stk. EPS 280x40x30

Dækknap se beslagsliste

Latest Revision / Description														
Rev. H	13-11-2024 JR (ECO EC 250-287): 2 stk. Bagklædning ændret til folde bagklædning. H- profil er fjernet. Label 088057-STD monteres på skuffebund.						Cardboard closure			Packaging type				
							A - Sideluk			G - ISTA 6A				
							Thickness of board / Composition of quality							
							4 mm (C-flute, brown) / Min.: ECT 6,2 - BST 1130 / Wave direction: Length							
			Units:		ECT = kN/m			BST = kPa						
INSIDE MEASURE			L:	574	B:	340	H:	98	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 1	PAGE:1/3		
tvilum			Natbord May								INIT:	JR	DATE :	03-07-2013
											REVISION:	H	Approved by:	JR
70331									DWG.NO.		70331-60			

PACKAGING

Lag 4




Note til pakkebånd:

Notat: Label 088057-STD


Monteres på skuffebund (06938)



Lag 5



Lag 6



Beslag pakket i beslagskasse 01p3692

Bestillingsnr. til beslagskasse 120100

Udv. mål 270x90x50


Blank lines for additional notes or specifications.

Latest Revision / Description													
Rev. H	13-11-2024 JR (ECO EC 250-287): 2 stk. Bagklædning ændret til folde bagklædning. H- profil er fjernet. Label 088057-STD monteres på skuffebund.					Cardboard closure			Packaging type				
						A - Sideluk			G - ISTA 6A				
						Thickness of board / Composition of quality							
						4 mm (C-flute, brown) / Min.: ECT 6,2 - BST 1130 / Wave direction: Length							
						Units:		ECT = kN/m			BST = kPa		
INSIDE MEASURE		L:	574	B:	340	H:	98	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 1	PAGE:2/3		
tvilum		Natbord May							INIT:		JR	DATE :	03-07-2013
									REVISION:		H	Approved by:	JR
70331									DWG.NO.		70331-60		

Note til pakkebånd:

1 Stk. Topplade (LD)

1 Stk. Side højre (HF)

Latest Revision / Description													
Rev. H	13-11-2024 JR (ECO EC 250-287): 2 stk. Bagklædning ændret til folde bagklædning. H- profil er fjernet. Label 088057-STD monteres på skuffebund.					Cardboard closure			Packaging type				
						A - Sideluk			G - ISTA 6A				
						Thickness of board / Composition of quality							
						4 mm (C-flute, brown) / Min.: ECT 6,2 - BST 1130 / Wave direction: Length							
						Units:		ECT = kN/m		BST = kPa			
INSIDE MEASURE		L:	574	B:	340	H:	98	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 1	PAGE:3/3		
tvilum 70331		Natbord May								INIT:	JR	DATE :	03-07-2013
										REVISION:	H	Approved by:	JR
								DWG.NO.		70331-60			