


PACKAGING

Lag 1

2 Stk.
Honeycomb 678x127x15 (3kN)




2 Stk.
Honeycomb 479x127x30 (3kN)

Note til pakkebånd:

Samlevejledning

Lag 2



2 Stk.
Honeycomb 195x120x74 (3kN)


Notat: Label 088057-STD

Monteres på Skuffebund (06081)



Lag 3

1 Stk.
Honeycomb 250x100x36 (1kN)




Kugleudtræk se beslagsliste

Latest Revision / Description

Rev. 1	16-12-2024 JR (ECO EC 287): Label 088057-STD monteres på Skuffebund.	Cardboard closure			Packaging type						
		A - Sideluk / FEFCO 0410			C - 30 mm end/15 mm side						
		Thickness of board / Composition of quality									
		Quality 3a									
Units:		ECT = kN/m		BST = kPa							
INSIDE MEASURE		L: 682	B: 514	H: 128	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 2	PAGE:1/2			
		Skænk 2 låger + 3 skuffer Oslo						INIT:	JR	DATE :	29-09-2014
								REVISION:	I	Approved by:	JR
75381					DWG.NO.		75381-60				

PACKAGING


Lag 4




Note til pakkebånd:

Beslag se beslagsliste

Lag 5




Lag 6



Latest Revision / Description															
Rev. 1	16-12-2024 JR (ECO EC 287): Label 088057-STD monteres på Skuffebund.					Cardboard closure			Packaging type						
						A - Sideluk / FEFCO 0410			C - 30 mm end/15 mm side						
						Thickness of board / Composition of quality						Quality 3a			
						Units:		ECT = kN/m			BST = kPa				
INSIDE MEASURE		L: 682	B: 514	H: 128	Glue flap: 45	Measurements shown in mm.	BOX: 1 af 2	PAGE:2/2							
		Skænk 2 låger + 3 skuffer Oslo						INIT:	JR	DATE :	29-09-2014				
								REVISION:	I	Approved by:	JR				
								DWG.NO.		75381-60					
75381															

PACKAGING


Lag 1 2 Stk. Honeycomb 1525x60x15 (3kN)




2 Stk.
Honeycomb 388x60x30 (3kN)

Note til pakkebånd:

Lag 2 1 Stk. Honeycomb 380x305x30 (1kN)



Lag 3



Latest Revision / Description													
Rev. G	13-09-2024 JR (ECO EC 273): Lag ændret. EPS ændret til Honeycomb.								Cardboard closure		Packaging type		
									A - Sideluk / FEFCO 0410		C - 30 mm end/15 mm side		
									Thickness of board / Composition of quality				
									Quality 3a				
			Units:			ECT = kN/m		BST = kPa					
INSIDE MEASURE		L:	1533	B:	423	H:	61	Glue flap:	45	Measurements shown in mm.	BOX: 2 af 2	PAGE:1/1	
tvilum		Skænk 2 låger + 3 skuffer							INIT:	JR	DATE : 29-09-2014		
		Oslo		REVISION:					G	Approved by:	JR		
75381									DWG.NO.		75381-60		