PACKAGING

						Note til pakkebånd:	
						Samlevejledning	
Lag	1	2 Stk. EP	S 515x54x15				
	 			<u> </u>]		
				7	30		
					54x		
	D I.				Stk. EPS 279x54x30	Beslag se beslagsliste	
	Beslag	2 Stk.	Bund/topplade (I)		PS 3		
					λ. Π		
					2 St		
				-			
2 9	tk. EPS 115	v50v36					
20	tk. Li O 1102	AJUAJU					
Lag 2	2						
					1		
				7			
	1 Stk. Si	Stk. Side H/V (F) 1 Stk. Side H/V					

Latest Revision / Description													
Rev.	26-05-2020 JR (ECC	dret fra	Cardboard closure			Packaging type							
В	B 558x252x55 til 578x282x55. Nyt EPS i kassen.					A - Sideluk				C - 30 mm end/15 mm side			
						Thickness of board / Composition of quality							
			3 mm (B-flute, brown) / Min.: ECT 3,9 - BST 520										
							Units: ECT = k			N/m BST = kPa			Pa
INSIDE MEASURE		L:	578	B:	282	H:	55	Glue flap:	45	Measurements shown in mm.	вох:	1 af 1	PAGE:1/1
. •1		На	Hængemodul							INIT:	JR	DATE :	11-04-2016
t	vilum	Roomers								REVISION:	В	Approved by:	JR
92174										DWG.NO.		92174-60	